



Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

1 Identification

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Adhesive

Details of Manufacturer or Importer:

AFC International Pty Ltd

21-23 Hobart St

Riverstone NSW 2765

Phone Number: 02 9627 7125

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Health hazard

Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects.



Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

(Contd. of page 1)

P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 40039-93-8	Phenol, 4,4'-(1-methylethylidene)bis[2,6-dibromo-, polymer with (chloromethyl) oxirane ⚠ Eye Irritation 2A, H319; Skin Sensitisation 1, H317	30-50%
CAS: 109-16-0	Triethylene glycol dimethacrylate ⚠ Skin Sensitisation 1, H317	10-30%
CAS: 80-15-9	Cumene hydroperoxide ⚠ Organic Peroxides E, H242; ⚠ Acute Toxicity (Inhalation) 2, H330; ⚠ Germ Cell Mutagenicity 2, H341; STOT RE 2, H373; ⚠ Skin Corrosion/Irritation 1B, H314; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; STOT SE 3, H335; Flammable Liquids 4, H227	1-3%
CAS: 2530-85-0	3-trimethoxysilylpropyl methacrylate ⚠ Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335; Flammable Liquids 4, H227	1-3%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical sand, or carbon dioxide. Do not use a high volume water jet.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

(Contd. of page 2)

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and other hazardous gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from prolonged direct sunlight and high temperatures.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection:

Use an approved unit respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

(Contd. of page 3)

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Yellow
Odour:	Slight
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	130 °C
Flash Point:	>93.3 °C
Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 27 °C:	<0.1 hPa
Density at 20 °C:	1.05±0.05 g/cm ³
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Slight
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	500-1200 mm ² /s

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Prolonged direct sunlight and high temperatures.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: Oxides of carbon and other hazardous gases.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 109-16-0 Triethylene glycol dimethacrylate

Oral LD50 10,837 mg/kg (Rattus norvegicus (rat))

Dermal LD50 >2,000 mg/kg (microorganisms)

CAS: 80-15-9 Cumene hydroperoxide

Oral LD50 382 mg/kg (Rattus norvegicus (rat))

Dermal LD50 133.6 mg/kg (Oryctolagus cuniculus (rabbit))

Inhalation LC50/4 h 220 mg/l (Rattus norvegicus (rat))

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye damage.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

(Contd. of page 4)

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Suspected of causing genetic defects.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 109-16-0 Triethylene glycol dimethacrylate

EC50/72 h 72.8 mg/l (Pseudokirchneriella subcapitata (algae)) (OECD Test Guideline 201)

LC50/96 h 16.4 mg/l (Danio rerio (zebra fish)) (OECD Test Guideline 203)

CAS: 80-15-9 Cumene hydroperoxide

EC50/24 h 7 mg/l (Daphnia magna (water flea))

EC50/72 h 3.1 mg/l (Algae)

LC50/96 h 3.9 mg/l (Oncorhynchus mykiss (rainbow trout))

LC50/48 h 18 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated

Proper Shipping Name Not regulated

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ADHESIVE - 0.4mL - 49401**

(Contd. of page 5)

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 09.05.2024

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Organic Peroxides E: Organic peroxides, Type E/F

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

(Contd. on page 7)



Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

1 Identification

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ACTIVATOR - 0.6mL - 49401**

Other Means of Identification: Article

Recommended Use of the Chemical and Restriction on Use:
Surface activation treatment of Rearview Mirror Adhesive

Details of Manufacturer or Importer:
AFC International Pty Ltd
21-23 Hobart St
Riverstone NSW 2765

Phone Number: 02 9627 7125

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

This product is considered as article and is as such exempted from the UN-GHS classification requirements.

The classification based on the hazardous substances contained in the product is provided below for information purposes only.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Eye Irritation 2A H319 Causes serious eye irritation.

Signal Word Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 64-17-5	Ethanol	90-95%
	⚠ Flammable Liquids 2, H225; ⚠ Eye Irritation 2A, H319	
CAS: 141-78-6	Ethyl acetate	5-10%
	⚠ Flammable Liquids 2, H225; ⚠ Eye Irritation 2A, H319; STOT SE 3, H336	

4 First Aid Measures

General Information:

This article consists of liquid soaked on non-woven wipes. Possible exposure to the above mentioned chemicals will be as a result of contact with the liquid.

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ACTIVATOR - 0.6mL - 49401**

(Contd. of page 7)

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use sand, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use water or general foam.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Product is not flammable

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment, including eye protection. Keep unprotected persons away.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up: No special measures required.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye contact of liquid component.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from prolonged direct sunlight.

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ACTIVATOR - 0.6mL - 49401**

(Contd. of page 8)

8 Exposure Controls and Personal Protection

Exposure Standards:	
CAS: 64-17-5 Ethanol	
WES	TWA: 1880 mg/m ³ , 1000 ppm
CAS: 141-78-6 Ethyl acetate	
WES	STEL: 1440 mg/m ³ , 400 ppm TWA: 720 mg/m ³ , 200 ppm

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator (filter type A) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection: Skin protection is not required under normal use conditions.

Eye and Face Protection: Eye protection is not required under normal use conditions.

9 Physical and Chemical Properties

Appearance:	
Form:	Wipes
Colour:	White
Odour:	Alcohol-like
Odour Threshold:	No information available
pH-Value:	Not applicable
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	>70 °C
Flammability (solid, gas):	Not determined.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Not applicable
Density:	No information available
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	Insoluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Prolonged direct sunlight.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: No hazardous decomposition products known.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ACTIVATOR - 0.6mL - 49401**

(Contd. of page 9)

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 64-17-5 Ethanol

Oral LD50 7,060 mg/kg (Rattus norvegicus (rat))

Inhalation LC50/4 h 20,000 mg/l (Rattus norvegicus (rat))

CAS: 141-78-6 Ethyl acetate

Oral LD50 5,620 mg/kg (Oryctolagus cuniculus (rabbit))

Inhalation LC50/4 h 1,600 mg/l (Rattus norvegicus (rat))

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: May cause skin irritation.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 64-17-5 Ethanol

EC50/48 h 9,268-14,221 mg/l (Daphnia magna (water flea))

>100 mg/l (Selenastrum capricornutum (green algae))

EC50/72 h 275 mg/l (Algae)

LC50/96 h >100 mg/l (Pimephales promelas (fathead minnow))

12-16 mg/l (Oncorhynchus mykiss (rainbow trout))

LC50/48 h >100 mg/l (Leuciscus idus (orfe; ide))

(Contd. on page 11)

Safety Data Sheet

according to WHS Regulations

Print date: 01.09.2024

Revision date: 01.09.2024

Product Name: **DYNAGRIP REAR VIEW MIRROR ADHESIVE - ACTIVATOR - 0.6mL - 49401**

(Contd. of page 10)

CAS: 141-78-6 Ethyl acetate	
EC50/48 h	164 mg/l (Daphnia magna (water flea))
EC50/96 h	>1,000 mg/l (Selenastrum capricornutum (green algae))
LC50/96 h	230 mg/l (Pimephales promelas (fathead minnow))
LC50/48 h	270 mg/l (Leuciscus idus (orfe; ide))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number: Not regulated

Proper Shipping Name: Not regulated

Dangerous Goods Class: Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 09.05.2024

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

