



Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

1 Identification

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Adhesives, sealants.

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart St
Riverstone NSW 2765

Phone Number: 02 9627 7125

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



corrosion

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 1)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 25852-47-5	Polyglycol dimethacrylate ⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	30 - <35%
CAS: 79-10-7	Acrylic acid ⚠ Flammable Liquids 3, H226; ⚠ Skin Corrosion/Irritation 1A, H314; ⚠ Aquatic Acute 1, H400; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332	1 - <5%
CAS: 80-15-9	2-hydroperoxy-2-phenylpropane ⚠ Self-react. E, H242; Organic Peroxides E, H242; ⚠ Acute Toxicity (Inhalation) 2, H330; ⚠ Germ Cell Mutagenicity 2, H341; STOT RE 1, H372; ⚠ Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; STOT SE 3, H335; Flammable Liquids 4, H227; Aquatic Acute 2, H401	<1%
CAS: 114-83-0	2'-phenylacetohydrazide ⚠ Acute Toxicity (Oral) 3, H301	<1%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: No adverse health effects expected.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, foam, dry chemical or carbon dioxide. Do not use full water jet as it may scatter and spread the fire.
 (Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 2)

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures, moisture and direct sunlight / UV light. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 79-10-7 Acrylic acid

WES	TWA: 5.9 mg/m ³ , 2 ppm
	Sk

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Butyl rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 3)

frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Purple
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	No information available
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	No information available
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong acids, strong oxidising agents and bases.

Hazardous Decomposition Products: Oxides of carbon and nitrogen.

11 Toxicological Information

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****CAS: 79-10-7 Acrylic acid**

Oral	LD ₅₀	250 mg/kg (rat)
Dermal	LD ₅₀	280 mg/kg (rabbit)

CAS: 80-15-9 2-hydroperoxy-2-phenylpropane

Oral	LD ₅₀	382 mg/kg (rat)
Dermal	LD ₅₀	500 mg/kg (rat)
Inhalation	LC ₅₀ /4 h	220 mg/l (rat)

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 4)

CAS: 114-83-0 2'-phenylacetohydrazide		
Oral	LD ₅₀	270 mg/kg (mouse)

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** Causes skin irritation. May cause an allergic skin reaction.**Eye:** Causes serious eye damage.**Ingestion:** No adverse health effects expected.**Skin Corrosion / Irritation:** Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye damage.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Acrylic acid is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:** May cause respiratory irritation.**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available**12 Ecological Information****Ecotoxicity:****Aquatic toxicity:****CAS: 79-10-7 Acrylic acid**EC₅₀/48 h 95 mg/l (daphnia)LC₅₀/96 h 27 mg/l (rainbow trout)**CAS: 80-15-9 2-hydroperoxy-2-phenylpropane**EC₅₀/24 h 7 mg/l (daphnia)EC₅₀/72 h 3.1 mg/l (algae)LC₅₀/96 h 3.9 mg/l (rainbow trout)LC₅₀/48 h 18 mg/l (daphnia)**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.**13 Disposal Considerations****Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 5)

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated**15 Regulatory Information****Australian Inventory of Chemical Substances:**

CAS: 25852-47-5	Polyglycol dimethacrylate
CAS: 79-10-7	Acrylic acid
CAS: 80-15-9	2-hydroperoxy-2-phenylpropane
CAS: 114-83-0	2'-phenylacetohydrazide

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

16 Other Information**Date of Preparation or Last Revision:** 09.04.2024**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 3: Flammable liquids – Category 3

Flammable Liquids 4: Flammable liquids – Category 4

Self-react. E: Self-reactive substances and mixtures, Type E/F

Organic Peroxides E: Organic peroxides, Type E/F

Acute Toxicity (Oral) 3: Acute toxicity – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 09.04.2020

Revision: 09.04.2024

Product Name: DYNAGRIP GASKET & FLANGE SEALANT - 50mL - 50515

(Contd. of page 6)

comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

